Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Howell Nurseries

BOYDS BRIDGE ROAD


KNOXVILLE, TENNESSEE

Phone: 3-2426

SWEETWATER, TENNESSEE

Autumn 1938 PRICE - LIST

Spring 1939




THIS PRICE-LIST is supplementary to and a part of our regular descriptive catalogue, and is issued periodically. In it you are likely to find items not listed in the catalogue; on the other hand, some items in the catalogue will not be priced in this list, as our stock varies from season to season. Our aim is to have the old standard varieties as well as the best of the new ones.

You are invited cordially to come out to the nursery to see our stock as it grows in the fields. If you are interested in plants, we feel sure that we can make your visit of interest, as we delight in showing our stock. We wish to be of service to you should you have problems in either growing or planting. Do not forget to come out and ramble around. If you want something that we do not have, we will try to secure it.

If you have not received our descriptive list, or have lost your copy, we will be pleased to send you another.

HOWELL NURSERIES



Garden of Hardy Azaleas. Amoena in circle

This Price-List is arranged alphabetically for your convenience in using our descriptive Catalogue. All previously published quotations are canceled by this List.

Plants selected and tagged at the nursery are charged for individually according to value, and these

prices do not apply.

Plants marked B&B are balled and burlapped for greater safety in handling and planting.

See our descriptive Catalogue for terms of sale. We do not guarantee plants to grow, but if we think that proper care and attention have been given them, we will replace at half price all plants that have died the first season.

Each

Each

Abelia grandiflora. 18 to 24 in., B&B	\$0		Ampelopsis quinquefolia. 2-yr	\$0 50 50
2 to 3 ft., B&B	1	00	A. veitchi. 2-yr.	
A. grandiflora, Edward Goucher. An abso-	1		Aralia pentaphylla. 2 to 3 ft	$\begin{array}{c} 50 \\ 75 \end{array}$
lutely new plant with a great future.			3 to 4 ft	70
2-yr., B&B	1	50	A. spinosa. 2 to 3 ft	50
2-yr., B&B	2	00	3 to 4 ft	$\frac{30}{75}$
Acer palmatum. 4 to 5 ft., B&B	3	50	4 to 5 ft	1 00
Larger specimens priced on application.			5 to 6 ft	$\stackrel{\stackrel{1}{1}}{50}$
A. palmatum atropurpureum. 2 to 3 ft., B&B.		50	Aronia arbutifolia. 3 ft	50
3 to 4 ft., B&B			A. arbutifolia brilliantissima. 2 to 3 ft	50 50
4 to 5 ft., B&B	$\frac{7}{2}$	50	3 to 4 ft	$\frac{50}{75}$
A. platanoides. 8 to 10 ft	$\frac{2}{2}$		A. melanocarpa. 2 to 3 ft	50
10 to 12 ft		50		-
12 to 14 ft		00	Aucuba japonica. 18 to 24 in., B&B	250
14 to 16 ft	$\frac{10}{3}$		2 to 3 ft., B&B	$\frac{3}{1} \frac{50}{50}$
A. rubrum. 8 to 10 ft	3		A. japonica variegata. 12 to 18 in., B&B	$\frac{1}{2} \frac{50}{50}$
A. saccharum. 6 to 8 ft	1		18 to 24 in., B&B	$\frac{2}{2} \frac{50}{50}$
8 to 10 ft		50	2 to 3 ft., B&B	3 50
10 to 12 ft		00	Azaleas, Japanese Evergreen	
14 to 16 ft			Azalea amoena. 15 in., B&B	1 50
16 to 18 ft		00	18 in., B&B	$\frac{1}{2} \frac{00}{00}$
Actinidia arguta. 2-yr	1		2 ft., B&B	
Æsculus pavia. 12 to 18 in			A., Benigiri. 15 in., B&B	1 50
Akebia quinata. 2-yr		50	18 in., B&B	$2\ 00$
Albizzia julibrissin. 2 to 3 ft		75	2 to 3 ft., B&B	3 50
3 to 4 ft		-	A., Carmen. 18 to 24 in., B&B	$2\ 00$
4 to 6 ft		25	A., Christmas Cheer. 15 in., B&B	150
6 to 8 ft	1		18 in., B&B	2 00
8 to 10 ft	2	50	A., Cleopatra. 18 to 24 in., B&B	$\frac{2}{3} \frac{00}{30}$
Larger specimens priced on application.		~ 0	A., Fujimoyo. 18 to 24 in., B&B	$\frac{2}{1} \frac{00}{00}$
Amelanchier canadensis. 8 to 10 ft		50	A. hinodegiri. 12 in., B&B	1 00
Amorpha fruticosa. 2 to 3 ft		50	15 in., B&B	$\frac{1}{2} \frac{50}{00}$
3 to 4 ft		75	18 in., B&B	2 00




Japanese Barberry (Berberis thunbergi)

	Each		Each
Azalea, Hinomayo. 12 in., B&B		Berberis thunbergi. 12 to 15 in	\$0 35
15 in., B&B		15 to 18 in	
18 in., B&B	$\frac{2}{2} \frac{00}{50}$	2 to 3 ft	75
2 ft., B&B	$\frac{2}{2} \frac{50}{50}$	B. thunbergi atropurpurea. 12 to 15 in	50
2 to 3 ft., B&B	- 3 5U	15 to 18 in	75
A. indica alba. 18 in., B&B	$\frac{1}{2} \frac{50}{50}$	18 to 24 in	1 00
2 ft., B&B	$\frac{2}{2} \frac{50}{00}$	2 to 3 ft., B&B	1 50
A. kaempferi. 18 in., B&B	$\begin{array}{c c} 2 & 00 \\ 1 & 50 \end{array}$	B. thunbergi pluriflora erecta.	
A., Koster Hybrids. 12 to 15 in., B&B	$\frac{1}{2} \frac{50}{90}$	18 to 24 in., B&B	1 00
15 to 18 in., B&B	$\frac{2}{2} \frac{00}{50}$	2 to 2½ ft., B&B	$\frac{1}{1} \frac{50}{30}$
18 to 24 in., B&B	$\frac{2}{3} \frac{50}{90}$	B. wilsonae. 18 to 24 in., B&B	1 00
24 to 30 in., B&B	3 00	Betula alba. 2 to 3 ft	1 00
A. ledifolia alba. 15 to 18 in., B&B	$\frac{1}{2} \frac{50}{50}$	7 to 8 ft	$2\ 00$
A., Louise. 2 to 2½ ft., B&B	$\begin{bmatrix} 2 & 50 \\ 1 & 00 \end{bmatrix}$	B. alba pendula laciniata. 7 to 8 ft	$5 \ 00$
A. macrantha. 12 in., B&B	$\frac{1}{1} \frac{00}{50}$	B. lenta. 5 to 7 ft	1 50
15 in., B&B	$\frac{1}{2} \frac{50}{00}$	Bignonia, Mme. Gallen. 3-in. pots	50
18 in., B&B	$\begin{bmatrix} 2 & 00 \\ 2 & 50 \end{bmatrix}$	Boussingaultia baselloides. Bulbs	25
21 in., B&B	$\begin{bmatrix} 2 & 30 \\ 1 & 00 \end{bmatrix}$	Buddleia alternifolia. 3 to 4 ft	1 00
A. poukhanensis. 12 in., B&B	$\begin{array}{c c} 1 & 50 \\ 1 & 50 \end{array}$	B. lindleyana. 2 to 3 ft	75
15 in., B&B	$\begin{bmatrix} 1 & 30 \\ 2 & 00 \end{bmatrix}$	B. variabilis. 2 to 3 ft	50
18 in., B&B	$\begin{array}{c c} 2 & 60 \\ 1 & 50 \end{array}$	B. variabilis, Ile de France. 2 to 3 ft	50
A. yodogawa. 2 to 3 ft., B&B	$\begin{bmatrix} 1 & 50 \\ 2 & 50 \end{bmatrix}$	3 to 4 ft	75
Larger specimens of all Azaleas priced on	2 30	Buxus sempervirens. 10 to 12 in., B&B	1 00
application.		12 to 15 in., B&B	$\frac{1}{1} \frac{50}{50}$
Azaleas, Native		15 to 18 in., B&B	$\frac{1}{2} \frac{00}{00}$
Azalea arborescens.		18 to 24 in., B&B	$\frac{5}{2} \frac{50}{50}$
Nice plants, B&B\$2.00 and	2 50	2 to 2½ ft., B&B	$\frac{1}{5} \frac{1}{00}$
A. calendulacea. Nice plants, B&B. \$2.00 and		$2\frac{1}{2}$ to $\tilde{3}$ ft., B&B	6 00
A. canescens. Nice plants, B&B	2 00	B. sempervirens aurea. B&B.	
A. nudiflora. Nice plants, B&B	2 00	Large specimens priced on application.	
A. vaseyi. Nice plants, B&B	$2 \ 00$	B. sempervirens suffruticosa. 3 to 4 in., B&B	25
Baccharis halimifolia. 2 to 3 ft	1 00	4 to 6 in., B&B	35
4 to 5 ft	$\frac{1}{1} 50$	6 to 8 in., B&B	50
Bambusa aurea. Clumps	1 00	8 to 10 in., B&B	1 00
B. palmata. Clumps	1 00	Callicarpa americana. 2 to 3 ft	50
B., unnamed dwarf varieties. Small	50^{-1}	3 to 4 ft	75
Large	1 00	C. purpurea. 2 to 3 ft	50
Benzoin aestivale. 4 to 5 ft	1 00	Calluna vulgaris. 8 to 10 in., B&B	75
Berberis ilicifolia. 2 to 3 ft., B&B	1 50	12 to 15 in., B&B	1 00
B. julianae. 4-yr., B&B	1 50	Calycanthus floridus. 2 to 3 ft	50
6-yr., B&B	2 50		
B. mentorensis. $1\frac{1}{2}$ to 2 ft., B&B	2 00	Caryopteris mastacanthus. 18 to 24 in	50
2 to 3 ft., B&B	$\frac{2}{1} \frac{50}{50}$	2 to 3 ft	75
B. sargentiana. 12 to 18 in., B&B	$\frac{1}{2} \frac{50}{20}$	Catalpa bungei.	
18 to 24 in., B&B	$\frac{2}{2} \frac{00}{50}$	2-yr. heads, budded on 5 to 6-ft. stems	$\frac{1}{2} \frac{50}{50}$
2 to 3 ft., B&B	$2/50 \perp$	3-yr. heads, budded on 5 to 6-ft. stems	$2 \ 50$

Castanea mollissima. 2 to 3 ft	\$1 00	Chamaecyparis pisifera plumosa aurea.	Each
3 to 4 ft		2 to 3 ft., B&B	\$1 50
4 to 5 ft		3 to 4 ft., B&B	$\frac{1}{2} = 0$
5 to 6 ft		C. pisifera squarrosa veitchi.	_ 0
6 to 8 ft		18 to 24 in., B&B	1 5
8 to 10 ft		Chamaedaphne calyculata. 12 to 15 in., B&B.	1 50
C. pumila. 2 to 3 ft	1 00	15 to 18 in., B&B	2 00
3 to 4 ft		Chionanthus virginica. 2 to 3 ft., B&B	1.50
Ceanothus americanus. 18 to 24 in	50	3 to 4 ft., B&B	$2\ 0$
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$		4 to 5 ft., B&B	2 50
C., Gloire de Versailles. 12 to 18 in., B&B	1 00	5 to 6 ft., B&B	3.50
18 to 24 in., B&B		Citrus trifoliata. 2 to 3 ft	7
2 to 3 ft., B&B		3 to 4 ft	1 00
Cedrus atlantica. 18 to 24 in., B&B		Cladrastis lutea. 2 to 3 ft	$\frac{50}{7}$
2 to 3 ft., B&B		3 to 4 ft	$\begin{array}{c} 75 \\ 1 & 00 \end{array}$
3 to 4 ft., B&B		5 to 6 ft	1 00
C. atlantica glauca. 12 to 14 in., B&BC. deodara. 18 to 24 in., B&B		Clematis jackmani. 2-yr	$\frac{1}{1} \frac{00}{00}$
2 to 3 ft., B&B		C. paniculata. 3 to 4 ft	$\frac{1}{50}$
3 to 4 ft., B&B		Clethra alnifolia. 2 to 3 ft	78
4 to 5 ft., B&B	$\frac{1}{2} \frac{1}{50}$	Larger clumps	1 00
C. libani. 18 to 24 in., B&B	1 50	Colutea arborescens. 18 to 24 in	50
2 to 3 ft., B&B	$2 \ 00$	3 to 4 ft	7!
Larger specimens priced on application.		Comptonia asplenifolia. 12 to 18 in	50
Celastrus orbiculatus. 2 to 3 ft	50	18 to 24 in	$\frac{7}{2}$
3 to 4 ft	75	Cornus florida. 2 to 3 ft., B&B	$\frac{1}{1} = 00$
C. scandens. 2 to 3 ft		3 to 4 ft., B&B	$\begin{array}{cc} 1 & 25 \\ 1 & 50 \end{array}$
Large plants	1 00	4 to 5 ft., B&B	$\frac{1}{3} \frac{50}{50}$
Cephalotaxus fortuni. 18 to 24 in., B&B		8 to 10 ft., B&B	$\frac{3}{6} \frac{3}{00}$
2 to 3 ft., B&B		C. florida rubra. 3 to 4 ft., B&B	1 50
3 to 4 ft., B&B	2 50	4 to 5 ft., B&B	$\frac{1}{2} = 0$
Larger specimens priced on application.	9.00	5 to 6 ft., B&B	2.50
C. harringtonia fastigiata. 18 to 24 in., B&B. 2 to 2½ ft., B&B		6 to 8 ft., B&B	3 - 50
2½ to 3 ft., B&B		Larger specimens priced on application.	10.0
Larger specimens priced on application.	1 00		10 00
Cercis canadensis. 2 to 3 ft	50	C. florida welchi. 3 to 4 ft., B&B	$\frac{3}{2} \frac{50}{50}$
3 to 4 ft		5 to 6 ft., B&B	$\frac{2}{3} \frac{50}{50}$
4 to 5 ft		6 to 8 ft., B&B	$\frac{6}{6}$ 00
Chamaecyparis obtusa. 2 to 3 ft., B&B	I	8 to 10 ft., B&B	$7\overline{50}$
3 to 4 ft., B&B		C. kousa. 3 to 4 ft., B&B	$2 \ 00$
4 to 5 ft., B&B	2 50	C. officinalis. 3 to 4 ft	75
Larger specimens priced on application.	2 00	4 to 5 ft.	1 00
C. obtusa compacta. 2 to 3 ft., B&B		6 to 8 ft	$1 \ 50$
3 to 4 ft., B&B		C. sanguinea. 6 to 8 ft	75
C. obtusa crippsi. 4 to 5 ft., B&B		C. stolonifera. 4 to 5 ft	
6 to 7 ft., B&B		Corylus americana. 18 to 24 in	50 78
C. obtusa nana. 18 to 24 in., B&B		2 to 3 ft	
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B$		Cotoneaster divaricata. 3 to 4 ft., B&B	1 50
$2\frac{1}{2}$ to 3 ft., B&B		4 to 5 ft., B&B	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$
3 to 4 ft., B&B		3 to 4 ft., B&B	$\frac{1}{2} \frac{30}{00}$
C. pisifera. 2 to 3 ft., B&B	$\frac{1}{2} \frac{50}{20}$	C. horizontalis. 12 to 18 in., B&B	$\frac{1}{1} \stackrel{\circ}{0} \stackrel{\circ}{0}$
3 to 4 ft., B&B	$\begin{bmatrix} 2 & 00 \\ 3 & 00 \end{bmatrix}$	18 to 24 in., B&B	$\frac{1}{1}$ 50
4 to 5 ft., B&B	$\begin{bmatrix} 3 & 00 \\ 4 & 00 \end{bmatrix}$	2 to 3 ft., B&B	$2 \ 00$
C. pisifera argentea. 2 to 3 ft., B&B		C. horizontalis perpusilla. 12 to 18 in., B&B.	1 00
3 to 4 ft., B&B		18 to 24 in., B&B	1 50
4 to 5 ft., B&B		2½ to 3 ft., B&B	$\frac{2}{1} = \frac{00}{00}$
C. pisifera aurea. 2 to 3 ft., B&B	1 50	C. microphylla. 12 to 18 in., B&B	1 00 1 50
4 to 5 ft., B&B	$3 \ 50$	18 to 24 in., B&B	$\frac{1}{2} \frac{30}{00}$
5 to 6 ft., B&B	5 00	C. salicifolia. 18 to 24 in., B&B	$\frac{2}{1} \frac{50}{50}$
6 to 7 ft., B&B		2 to 3 ft., B&B	$\frac{1}{2} \frac{00}{00}$
C. pisifera filifera. 2 to 3 ft., B&B	1 50	3 to 4 ft., B&B	$\frac{1}{2}$ 50
Large specimens priced on application. C. pisifera filifera aurea. 18 to 24 in., B&B	1 50	Crataegus cordata. 6 to 8 ft., B&B	
2 to 3 ft., B&B		Cryptomeria japonica. B&B.	
4 to 5 ft., B&B		Large specimens priced on application.	
5 to 6 ft., B&B		Cunninghamia lanceolata. 12 to 18 in., B&B.	1 50
C. pisifera plumosa. 2 to 3 ft., B&B	1 50	18 to 24 in., B&B	$2 \ 00$
3 to 4 ft., B&B	$\frac{2}{2} \frac{00}{50}$	2 to 3 ft., B&B	$\frac{2}{2}$ 50
4 to 5 ft., B&B	$\frac{2}{3} \frac{50}{50}$	3 to 4 ft., B&B	3 50
5 to 6 ft., B&B	$3 50 \perp$	4 to 5 ft., B&B	$5 \ 00$

	Each	No.
Cydonia japonica. 2 to 3 ft	\$0 50 75	-8
C. japonica rosea. 2 to 3 ft	50	ø
3 to 4 ft	$\frac{75}{50}$	f_{ij}
3 to 4 ft	75	
C. japonica, Salmon. 2 to 3 ft	$\frac{50}{75}$	23
Dasylirion texanum. 2-yr	75	7
3-yr	$\begin{array}{cc} 1 & 00 \\ 1 & 25 \end{array}$	-
Deutzia gracilis. 12 to 18 in	$\frac{50}{75}$	13
18 to 24 in D. gracilis rosea. 18 to 24 in	50	
2 to 3 ft D. lemoinei. 18 to 24 in	$\begin{array}{c} 75 \\ 50 \end{array}$	
2 to 3 ft D. magnifica. 2 to 3 ft	$75 \\ 75$	
D. scabra, Pride of Rochester. 2 to 3 ft	50	
3 to 4 ft	$\begin{bmatrix} 75 \\ 1 & 00 \end{bmatrix}$	
5 to 6 ft	1 50	4
Diosporus lotus. 2 to 3 ft	75	
Elaeagnus longipes. 2 to 3 ft., B&B E. pungens fruitlandi. 18 to 24 in., B&B	$\begin{array}{cc} 1 & 50 \\ 1 & 00 \end{array}$	-
2 to 3 ft., B&B	1 50	0
3 to 4 ft	$egin{array}{ccc} 2&00\ 2&50 \end{array}$	Gin
E. pungens reflexa. 2 to 3 ft., B&B	1 50	
3 to 4 ft., B&B	$egin{array}{ccc} 2&00\ 2&50 \end{array}$	
E. pungens rotundifolia. 2 to 3 ft., B&B	1 50	
3 to 4 ft., B&B E. pungens variegata. 18 to 24 in., B&B	$\begin{array}{cc} 2 & 00 \\ 2 & 00 \end{array}$	Gor Gyr
2 to 3 ft., B&B E. umbellata. 3 to 4 ft	$\begin{array}{cc}2&50\\75\end{array}$	
4 to 5 ft	1 00	Hal
Erica. 8 to 10 in., B&B	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	Har
12 to 18 in., B&B	2 00	H. v
Euonymus alatus. 3 to 4 ft	$egin{array}{ccc} 2&00\ 2&50 \end{array}$	11.
E. alatus compactus. 3 to 4 ft	1 50	Hed
E. americanus. 2 to 3 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	H. l Hes
E. europaeus. 18 to 24 in	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	nes
3 to 4 ft	1 50	
Larger specimens E. patens. 18 to 24 in	$\begin{array}{cc} 2 & 50 \\ 1 & 50 \end{array}$	Hib
2 to 3 ft	$2\ 00$	H. s
E. radicans. 2-yr	$\begin{array}{c} 50 \\ 50 \end{array}$	H. s
E. radicans variegatus. 2-yr	$\begin{array}{c} 50 \\ 1 \ 00 \end{array}$	H. s
E. radicans vegetus. 12 to 18 in	1 00	H. 8
18 to 24 in	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	H. s
2 to 3 ft., B&B	$\begin{array}{ccc} 2 & 00 \\ 1 & 00 \end{array}$	H. s Hyd
Flowering Cherry. See Prunus.		H. 8
Flowering Crab. See Malus.		H. I
Flowering Plum. See Prunus. Flowering Plum. See Prunus.		H. (
Forsythia intermedia spectabilis. 2 to 3 ft 3 to 4 ft	$rac{50}{75}$	Hyp H. (
F. suspensa. 2 to 3 ft	50	H. 1
F. viridissima. 2 to 3 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	Ilex
Fraxinus americana. 8 to 10 ft	2 00	
Gelsemium sempervirens. 5-yr., heavy	1 50	



Elaeagnus umbellata

	T2 b
Ginkgo biloba. 3 to 4 ft	Each \$2 50
4 to 5 ft	3 00
5 to 6 ft	3 50
6 to 7 ft	4 00
7 to 8 ft	$\frac{5}{3} \frac{00}{00}$
8 to 10 ft	6 00
Gordonia alatamaha. 5 to 6 ft., B&B	7 50
Gymnocladus dioica. 3 to 4 ft	$\frac{1}{1} \frac{00}{50}$
4 to 5 ft 6 to 8 ft	$\begin{array}{cc} 1 & 50 \\ 2 & 00 \end{array}$
Halesia tetraptera. 8 to 10 ft	$\frac{2}{50}$
Hamamelis japonica. 18 to 24 in	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$
2 to 3 ft H. virginiana. 2 to 3 ft	$\frac{1}{50}$
8 to 10 ft	$1 \frac{50}{50}$
Hedera helix. 2-yr	50
H. helix digitata. 2-in. pots	$\frac{30}{25}$
Hesperaloe parviflora. 2-yr	$\begin{array}{c} 50 \\ 75 \end{array}$
3-yr	1.00
· ·	
Hibiscus moscheutos. 1-yr	$\begin{array}{c} 25 \\ 50 \end{array}$
2-yr	50 50
4 to 5 ft	75
4 to 5 ft	50
H. syriacus, Joan of Arc. Double; white.	•
3 to 4 ft	50
H. syriacus, Lucy. Red. 3 to 4 ft	50
2 to 3 ft	50
H. syriacus rubra. Red. 3 to 4 ft	50
Hydrangea arborescens. 3 to 4 ft	75
H. arborescens grandiflora. 2 to 3 ft	50
H. paniculata grandiflora. 2 to 3 ft	50
3 to 4 ft	75
H. quercifolia. 2 to 3 ft	75
Hypericum aureum. 2 to 3 ft	50
H. calycinum. 2-yr	50
H. moserianum. 12 to 18 in	50
Ilex cassine. 2 to 3 ft., B&B	1 50
3 to 4 ft., B&B	$\frac{2}{2} \frac{00}{00}$
4 to 5 ft., B&B	3 00
5 to 6 ft., B&B	5 00




Juniperus chinensis pfitzeriana

Her eassing angustifolia 2 to 2 ft RaB	Each
Ilex cassine angustifolia. 2 to 3 ft., B&B 3 to 4 ft., B&B	
4 to 5 ft., B&B	. 3 00
5 to 6 ft., B&B	500
I. cornuta. 2 to 3 ft., B&B	. 2 50
3 to 4 ft., B&B	. 3 50
5 to 6 ft., B&B	. 6 00
I. cornuta burfordi. 2 to 3 ft., B&B	. 3 50
3 to 4 ft., B&B	. 5 00
4 to 5 ft., B&B	. 6 00
I. crenata. 2 to 3 ft., B&B	200
3 to 4 ft., B&B	. 3 50
4 to 5 ft., B&B	500
6 to 7 ft., B&B	$\frac{7}{2} \frac{50}{30}$
I. crenata, Spreading. 18 to 24 in., B&B	$\frac{200}{200}$
I. crenata rotundifolia. 18 to 24 in., B&B	$\begin{array}{ccc} . & 2 & 00 \\ . & 2 & 50 \end{array}$
2 to 3 ft., B&B	$\begin{array}{cccc} . & 2 & 50 \\ 1 & 50 \end{array}$
I. decidua. 2 to 3 ft., B&B	. 1 50 . 3 00
6 to 8 ft., B&B 8 to 10 ft., B&B	. 4 00
I. glabra. 18 to 24 in., B&B	. 1 00
2 to 3 ft., B&B	
I. latifolia. 18 to 24 in., B&B	3 50
I. opaca. 2 to 3 ft., B&B	
3 to 4 ft., B&B	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 ft., B&B	$\frac{2}{3} \frac{60}{00}$
4 to 5 ft., B&B	$\frac{3}{50}$
5 to 6 ft., B&B	. 4 00
6 to 8 ft., B&B	5 00
I. opaca, East Palatka. 3 to 4 ft., B&B	$3 \ 50$
I. opaca howardi. 2 to 3 ft., B&B	
3 to 4 ft., B&B	
I. opaca, Hume No. 2. 4 to 5 ft., B&B	$\frac{3}{4} \frac{00}{00}$
5 to 6 ft., B&B	$\begin{array}{ccc} & 4 & 00 \\ 2 & 50 \end{array}$
3 to 4 ft., B&B	
4 to 5 ft., B&B	
5 to 6 ft., B&B	
6 to 8 ft., B&B	5 00
I. pernyi. 18 to 24 in., B&B	350
I. pernyi veitchi. 3 to 5 ft., B&B	5 00
I. verticillata. 3 to 4 ft	
I. vomitoria. 2 to 3 ft., B&B	$\frac{2}{2}$ 00
3 to 4 ft., B&B	3 00
Large specimen plants of many of the Ilex can be priced on application.	above
Itea virginica. 2 to 3 ft	1 00

Jasminum floridum. 18 to 24 in	Each \$0 50
2 to 3 ft	75
J. giraldi. 3-yr	75
J. nudiflorum. 2 to 3 ft	50
J. officinale. 2 to 3 ft	75 75
Juglans cinerea. 4 to 5 ft.	1 00
J. regia. 8 to 10 ft	$\frac{1}{2} \frac{50}{50}$
J. sieboldiana. 3 to 4 ft	$\frac{1}{1} \frac{00}{00}$
6 to 8 ft	$2\ 00$
Juniperus chinensis densa glauca.	
12 to 18 in., B&B	1 00
18 to 24 in., B&B	$\frac{1}{2} \frac{50}{90}$
2 to 3 ft	2 00
J. chinensis excelsa stricta. 12 to 18 in., B&B	1 00
18 to 24 in., B&B	$\frac{1}{1} \frac{50}{50}$
2 to 3 ft., B&B	$2 \ 00$
J. chinensis japonica. 18 to 24 in., B&B	1 50
2 to 3 ft., B&B	2 50
J. chinensis japonica aurea.	0.50
12 to 18 in., B&B	2 50
J. chinensis japonica globosa aurea. 12 to 18 in., B&B	2 50
J. chinensis mascula. 4 to 5 ft., B&B	$\frac{2}{3} \frac{90}{00}$
J. chinensis neaboriensis. 4 to 5 ft., B&B	$\frac{5}{2} \frac{50}{50}$
5 to 6 ft., B&B	$\frac{1}{3}$ 50
J. chinensis pfitzeriana. 12 to 18 in., B&B	1 00
18 to 24 in., B&B	$\frac{1}{2} \frac{50}{20}$
2 to 2½ ft., B&B	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$
$2\frac{1}{2}$ to $\bar{3}$ ft., B&B	$\frac{2}{3} \frac{50}{00}$
4 to 5 ft., B&B	$\frac{3}{4} \frac{00}{00}$
5 to 6 ft., B&B	6 00
J. chinensis procumbens.	
12 to 18 in., B&B	$\frac{1}{2}$ 50
18 to 24 in., B&B	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$
2 to 3 ft., B&B	$\frac{2}{1} \frac{30}{00}$
3 to 4 ft., B&B	$\frac{1}{1} \frac{50}{50}$
4 to 5 ft., $\overline{\text{B}}_{\&}\overline{\text{B}}$	$\frac{1}{3} \frac{00}{00}$
6 to 8 ft., B&B	3 50
J. communis depressa. 2 to 3 ft., B&B	2 00
J. communis depressa plumosa. 18 to 24 in., B&B	1 50
2 to 3 ft., B&B	$\frac{1}{2} \frac{30}{00}$
J. communis hibernica. 2 to 3 ft., B&B	$\frac{1}{1} \frac{00}{00}$
3 to 4 ft., B&B	$1 \ 50$
4 to 5 ft., B&B	$\frac{2}{3} \frac{00}{30}$
5 to 6 ft., B&B	3 00
S to 10 ft., B&B	$\begin{array}{ccc} 5 & 00 \\ 3 & 50 \end{array}$
J. communis suecica. 2 to 3 ft., B&B	$\frac{0}{1} \frac{50}{50}$
3 to 4 ft., B&B	$2\ 00$
J. sabina. 2 to 3 ft., B&B	$\frac{2}{1} \frac{00}{100}$
J., Shuki. 18 to 24 in., B&B	1 50
J. squamata meyeri. 10 to 12 in., B&B	$\begin{array}{cc} 1 & 50 \\ 2 & 50 \end{array}$
J. virginiana (weeping). 6 to 8 ft., B&B	$\frac{2}{3} \frac{50}{50}$
J. virginiana burki. 4 to 5 ft., B&B	3 50
5 to 6 ft., B&B	5 00
J. virginiana canaerti. 2 to 3 ft., B&B	$\frac{1}{2} \frac{50}{50}$
3 to 4 ft., B&B	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$
5 to 6 ft., B&B	$\frac{5}{5} \frac{30}{00}$
J. virginiana donaldsoni. 5 to 6 ft., B&B	$\frac{3}{3} \frac{50}{50}$
J. virginiana glauca. 4 to 5 ft., B&B	3 00
8 to 10 ft., B&B	8 00
J. virginiana globosa. 18 to 24 in., B&B	3 50
J. virginiana keteleeri. 4 to 5 ft., B&B 5 to 6 ft., B&B	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$
J. virginiana pyramidiformis.	1 00
4 to 5 ft., B&B	4 50

Juniperus virginiana schotti. 4 to 5 ft., B&B. \$3 50
5 to 6 ft., B&B
J., Waukegan. 18 to 24 m., B&B. 150 2 to 3 ft., B&B. 200 Kalmia latifolia. 12 to 18 in., B&B. 150 18 to 24 in., B&B. 250 Koelreuteria paniculata. 4 to 5 ft. 150 6 to 8 ft. 250 Kolkwitzia amabilis. 2 to 3 ft. 75 5 to 6 ft. 150 6 to 7 ft. 200 Laburnum vulgare. 5 to 6 ft. 250 Lagerstroemia indica alba. 2 to 3 ft., B&B. 100 3 to 4 ft., B&B. 150 L. indica purpurea. 2 to 3 ft., B&B. 100 3 to 4 ft., B&B. 150 L. indica, William Toovey. 3 to 4 ft., B&B. 150 L. indica, William Toovey. 3 to 4 ft., B&B. 150 Laurocerasus caroliniana. 2 to 3 ft., B&B. 150 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 250 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 250 Lschipkaensis. 12 to 18 in., B&B. 250 18 to 24 in., B&B. 250 Lschipkaensis. 12 to 18 in., B&B. 250 Lschipkaensis. 12 to 1
2 to 3 ft., B&B. Kalmia latifolia. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 00 2 to 3 ft., B&B. 2 50 Koelreuteria paniculata. 4 to 5 ft. 1 50 6 to 8 ft. 2 50 Kolkwitzia amabilis. 2 to 3 ft. 5 to 6 ft. 1 50 6 to 7 ft. 2 00 Laburnum vulgare. 5 to 6 ft. 2 00 6 to 7 ft. 2 50 Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 3 to 4 ft. 50 Maackia amur Magnolia acum 8 to 10 ft. 10 to 12 ft. L. penduliflorum. 2-yr. 50 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft.
Kalmia latifolia. 12 to 18 in., B&B.
18 to 24 in., B&B. 2 50 2 to 3 ft., B&B. 2 50 Koelreuteria paniculata. 4 to 5 ft. 1 50 6 to 8 ft. 2 50 Kolkwitzia amabilis. 2 to 3 ft. 75 5 to 6 ft. 1 50 6 to 7 ft. 2 00 Laburnum vulgare. 5 to 6 ft. 2 00 6 to 7 ft. 2 50 Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 18 to 24 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Lespedeza bicolor. 2 to 3 ft. 50 Maackia amur 3 to 4 ft. 5 ft. 50 3 to 4 ft. 5 ft. 50 Magnolia acum 3 to 4 ft. 5 ft. 50 Magnolia acum 3 to 4 ft. 5 ft. 50 Sto 10 ft. 50 Lependuliflorum. 2-yr. 50 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft. 5 ft. 50 M. glauca. 2 to 3 ft. 4 ft.
2 to 3 ft., B&B. 2 50
Koelreuteria paniculata. 4 to 5 ft. 1 50 6 to 8 ft. 2 50 Kolkwitzia amabilis. 2 to 3 ft. 75 5 to 6 ft. 1 50 6 to 7 ft. 2 00 6 to 7 ft. 2 50 Laburnum vulgare. 5 to 6 ft. 2 00 6 to 7 ft. 2 50 Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 00 L. indica purpurea. 2 to 3 ft., B&B. 1 00 L. indica, William Toovey. 3 to 4 ft., B&B. 1 00 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 2 50 L schipkaensis. 12 to 18 in., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 2 50 Ls to 24 in., B&B. 2 50 18 to 24 in., B&B. 50 18 to 24 in., B&B. 50 Lespedeza bicolor. 2 to 3 ft. 50 10 to 12 ft 10 to 12
6 to 8 ft
Kolkwitzia amabilis. 2 to 3 ft. 75 5 to 6 ft. 1 50 6 to 7 ft. 2 00 Laburnum vulgare. 5 to 6 ft. 2 50 6 to 7 ft. 2 50 Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3-yr. 50 L. penduliflorum. 2-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00
5 to 6 ft
6 to 7 ft
Laburnum vulgare. 5 to 6 ft
Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 00 L. indica, William Toovey. 3 to 4 ft., B&B. 1 50 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 18 to 24 in., B&B. 2 50 18 to 24 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 50 18 to 24 in., B&B. 50 19 daackia amur 3 to 4 ft. 50 10 to 12 ft L. penduliflorum. 2-yr. 55 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft. 50 Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 to 3 to 4 ft.
Lagerstroemia indica alba. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 18 to 24 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 50 3 to 4 ft. 50 L. formosa. 2-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 50 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft. 50 Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 to 3 to 4 ft.
3 to 4 ft., B&B. 1 50 L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 00 L. indica, William Toovey. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 Large specimens priced on application. 2 50 L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 2 50 Ls, Strap leaf. 12 to 18 in., B&B. 2 50 Ls to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft. 3 to 4 ft.
L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 Lespedeza bicolor. 2 to 3 ft. 50 L. penduliflorum. 2-yr. 50 3-yr. 55 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 2 to 2½ ft. 50 Maackia amur Magnolia acum 8 to 10 ft. 50 M. glauca. 2 to 2 ft. 50 M. glauca. 2 to 3 ft. 61 M. glauca. 2 to 3 f
L. indica purpurea. 2 to 3 ft., B&B. 1 00 3 to 4 ft., B&B. 1 50 L. indica rosea. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 Lespedeza bicolor. 2 to 3 ft. 50 L. penduliflorum. 2-yr. 50 3-yr. 55 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 2 to 2½ ft. 50 Maackia amur Magnolia acum 8 to 10 ft. 50 M. glauca. 2 to 2 ft. 50 M. glauca. 2 to 3 ft. 61 M. glauca. 2 to 3 f
3 to 4 ft., B&B.
L. indica rosea. 3 to 4 ft., B&B. 1 00 L. indica, William Toovey. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 2 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Lespedeza bicolor. 2 to 3 ft. 50 L. formosa. 2-yr. 50 3-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 50 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Maackia amur Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 t 3 to 4 ft.
L. indica, William Toovey. 3 to 4 ft., B&B. 1 00 4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Lespedeza bicolor. 2 to 3 ft. 50 L. formosa. 2-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 50 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft. 50 Maackia amur 8 to 10 ft 10 to 12 ft M. glauca. 2 to 4 ft
4 to 5 ft., B&B. 1 50 Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. 2 50 L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Magnolia acum 3 to 4 ft. M. glauca. 2 to 3 to 4 ft.
Laurocerasus caroliniana. 2 to 3 ft., B&B. 1 50 3 to 4 ft., B&B. 2 50 4 to 5 ft., B&B. 3 50 Large specimens priced on application. 2 50 L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Maackia amur 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 50 8 to 10 ft 10 to 12 ft 10 to 12 ft Leucothoe catesbaei. 18 to 24 in., B&B. 2 00
3 to 4 ft., B&B
4 to 5 ft., B&B. 3 50 Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Maackia amur 8 to 10 ft 10 to 12 ft M. glauca. 2 to 4 ft
Large specimens priced on application. L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 Lespedeza bicolor. 2 to 3 ft. 50 L. formosa. 2-yr. 50 3-yr. 50 3-yr. 50 4 to 10 ft 10 to 12 ft L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Lespedeza bicolor. 2 to 3 ft. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00
L. rotundifolia. 2 to 2½ ft., B&B. 2 50 L. schipkaensis. 12 to 18 in., B&B. 1 50 18 to 24 in., B&B. 2 00 2 to 2½ ft. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 50 Maackia amur 3 to 4 ft. 75 L. penduliflorum. 2-yr. 50 3-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 to 4 ft
L. schipkaensis. 12 to 18 in., B&B. 150 18 to 24 in., B&B. 200 2 to 2½ ft. 250 L., Strap leaf. 12 to 18 in., B&B. 250 18 to 24 in., B&B. 350 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 50 4 Maackia amur 3 to 4 ft. 75 4 Magnolia acum 8 to 10 ft 10 to 12 ft L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 200 Mackia amur 8 to 10 ft 10 to 12 ft M. glauca. 2 to 4 ft
18 to 24 in., B&B. 2 00 2 to 2½ ft. 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Maackia amur Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 t 3 to 4 ft 10 to 12 ft M. glauca. 2 to 3 to 4 ft 10 to 12 ft 10 t
2 to 2½ ft 2 50 L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 L formosa. 2-yr. 50 3-yr. 50 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Logo 2 ft 2 50 Maackia amur 75 Magnolia acum 8 to 10 ft 10 to 12 ft 10 to
L., Strap leaf. 12 to 18 in., B&B. 2 50 18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 t 3 to 4 ft 11 to 4 ft 12 to 4 ft 13 to 4 ft 14 to 50
18 to 24 in., B&B. 3 50 Lespedeza bicolor. 2 to 3 ft. 50 3 to 4 ft. 75 L. formosa. 2-yr. 50 3-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Magnolia acum 8 to 10 ft 10 to 12 ft M. glauca. 2 t 3 to 4 ft 11 to 4 ft 12 to 4 ft 13 to 4 ft 14 to 50 ft 15 to 60 ft 16 to 75 ft 17 to 75 ft 18 to 75 ft 19 to 75 ft 10 to 12 ft 10 to 12 ft 10 to 12 ft 11 to 75 ft 12 to 75 ft 13 to 75 ft 14 to 75 ft 15 to 75 ft 16 to 75 ft 17 to 75 ft 18 to 75 ft 18 to 75 ft 19 to 75 ft 10 to 12 ft 10 to 12 ft 10 to 12 ft 11 to 75 ft 12 to 75 ft 13 to 75 ft 13 to 75 ft 14 to 75 ft 15 to 75 ft 16 to 75 ft 17 to 75 ft 18 to 75 ft 18 to 75 ft 19 to 75 ft 10 to 75 ft 10 to 12 ft 10 to 12 ft 10 to 12 ft 11 to 75 ft 12 to 75 ft 13 to 75 ft 14 to 75 ft 15 to 75 ft 16 to 75 ft 17 to 75 ft 18 to 75 ft 18 to 75 ft 18 to 75 ft 19 to 75 ft 10
Lespedeza bicolor. 2 to 3 ft. 50 Maackia amur 3 to 4 ft. 75 Magnolia acun L. formosa. 2-yr. 50 8 to 10 ft 3-yr. 75 10 to 12 ft L. penduliflorum. 2-yr. 75 M. glauca. 2 to 4 ft Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft
3 to 4 ft. 75 Magnolia acun L. formosa. 2-yr. 50 8 to 10 ft 3-yr. 75 10 to 12 ft L. penduliflorum. 2-yr. 75 M. glauca. 2 to 4 ft Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 3 to 4 ft
L. formosa. 2-yr. 50 3-yr. 75 L. penduliflorum. 2-yr. 75 Leucothoe catesbaei. 18 to 24 in., B&B. 2 00 Magnona acting 8 to 10 ft 10 to 12 ft 10 to 1
L. formosa. 2-yr
3-yr
L. penduliflorum. 2-yr
Leucothoe catesbaei. 18 to 24 in., B&B 2 00 M. gladea. 2 to 4 ft
Libocedrus decurrens. 4 to 5 ft., B&B 2 50 4 to 5 ft.,
5 to 6 ft., B&B
\mathbf{S} to \mathbf{O} \mathbf{I}_{0} , \mathbf{D} \mathbf{A} \mathbf{D}
1 to 5 ft
E to C ft
2 to 2/2 to, D&D 1 to net 1 1
2½ to 3 ft., B&B
L. ovalifolium variegatum. 12 to 18 in 1 00 8 to 10 ft.
2½ to 3 ft 2 50 M. kobus. 3 to
L. quihoui. 3 to 4 ft
L. sinense. 12 to 18 in\$3.00 per 100 6 to 8 ft.
3 to 4 ft\$5.00 per 100 8 to 10 ft.
L. sinense pendulum. 2 to 3 ft
Liquidambar styraciflua. 2 to 3 ft., B&B 1 50 3 to 4 ft.,
3 to 4 ft., B&B
4 to 5 ft., B&B
,
7 to 8 ft., B&B
10 to 12 ft., B&B
Liriodendron tulipifera. 2 to 3 ft., B&B 1 00 M. stellata. 2
6 to 7 ft., B&B
Lonicera browni. 2 to 3 ft
9 + 6 A ft $75 + 6 ct$
3 to 4 ft
L. fragrantissima. 2 to 3 ft
L. fragrantissima. 2 to 3 ft
L. fragrantissima. 2 to 3 ft
L. fragrantissima. 2 to 3 ft 50 Mahonia aquif 3 to 4 ft 75 2 to 3 ft., L. heckrotti. 2-yr 50 M. bealei. 12 to
L. fragrantissima. 2 to 3 ft 50 3 to 4 ft 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. is propise bellions. 2 yr. 50 18 to 24 in
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 55 L. heckrotti. 2-yr. 50 3-yr. 55 L. japonica halliana. 2-yr. 55 L. morrowi. 18 to 24 in 50 L. morrowi. 18 to 2
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 Mahonia aquif 2 to 3 ft., M. bealei. 12 to 24 in. 2 to 3 ft. 2 to 3 ft. 2 to 3 ft. M. primate (formal property) 30 M. primate (formal property) 30 <
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B. 1 50 Mahonia aquif 2 to 3 ft., M. bealei. 12 to 3 to 24 in 50 M. pinnata (fa 2 to 3 ft.) M. pinnata (fa 2 to 3 ft.) 4 to 3 ft. 50
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B. 1 50 L. sempervirens. 2-yr. 50 Mahonia aquif 2 to 3 ft., M. bealei. 12 to 3 ft. M. pinnata (fa 2 to 3 ft., 50 L. to 3 ft., The second of the se
L. fragrantissima. 2 to 3 ft. 50 Mahonia aquif 3 to 4 ft. 75 2 to 3 ft. L. heckrotti. 2-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 2 to 3 ft. L. nitida. 15 to 18 in., B&B. 1 50 L. sempervirens. 2-yr. 50 3-yr. 75 Malus atrosans
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B. 1 50 L. sempervirens. 2-yr. 50 3-yr. 75 Malus atrosans 3 to 4 ft. L. speciosa. 2 to 3 ft. 3 to 4 ft.
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B. 1 50 L. sempervirens. 2-yr. 50 3-yr. 75 Malus atrosans 3 to 4 ft. 3 to 4 ft. 50 3 to 6 ft. 50
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B 1 50 L. sempervirens. 2-yr. 50 3-yr. 75 Malus atrosang Jato 4 ft. 50 3 to 4 ft. 50 L. tatarica. 3 to 4 ft. 50 M. bechteli. Properties.
L. fragrantissima. 2 to 3 ft. 50 3 to 4 ft. 75 L. heckrotti. 2-yr. 50 3-yr. 75 L. japonica halliana. 2-yr. 50 L. morrowi. 18 to 24 in. 50 L. nitida. 15 to 18 in., B&B. 1 50 L. sempervirens. 2-yr. 50 3-yr. 75 Malus atrosans 3 to 4 ft. 3 to 4 ft. 50 3 to 6 ft. 50



Magnolia grandiflora

0 0	
Maackia amurensis. 2 to 3 ft	Each \$1 00
Magnolia acuminata. 18 to 24 in	$\begin{array}{ccc} 1 & 00 \\ 2 & 50 \end{array}$
10 to 12 ft	$\frac{2}{5} \frac{30}{00}$
M. glauca. 2 to 3 ft., B&B	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$
3 to 4 ft., B&B	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$
M. grandiflora. 2 to 3 ft., B&B	$\frac{2}{1} \frac{30}{00}$
3 to 4 ft., B&B	$\frac{1}{1} \frac{50}{50}$
4 to 5 ft., B&B	$\frac{1}{2} \frac{50}{50}$
5 to 6 ft., B&B	$\frac{2}{3} \frac{50}{50}$
M. hypoleuca. 6 to 8 ft	$\frac{5}{2}$ 50
8 to 10 ft	$\frac{2}{3} \frac{60}{00}$
M. kobus. 3 to 4 ft	$\frac{3}{2} \frac{00}{00}$
4 to 5 ft	$\frac{2}{2} \frac{50}{50}$
6 to 8 ft	$\frac{2}{3} \frac{50}{50}$
8 to 10 ft	5 00
M. purpurea. 2 to 3 ft., B&B	1 00
3 to 4 ft., B&B	$\frac{1}{2} \frac{00}{00}$
4 to 5 ft., B&B	3 50
Large specimens priced on application.	
M. salicifolia. 3 to 4 ft., B&B	3 50
M. soulangeana. 3 to 4 ft., B&B	3 00
4 to 5 ft., B&B	4 00
M. stellata. 2 to 3 ft., B&B	3 00
3 to 4 ft., B&B	4 00
4 to 5 ft., B&B	-6 00
5 to 6 ft., B&B	7 50
Mahonia aquifolium. 18 to 24 in., B&B	1 50
2 to 3 ft., B&B	$2 \ 00$
M. bealei. 12 to 18 in., B&B	$2\ 00$
18 to 24 in., B&B	$2 \ 50$
2 to 3 ft., B&B	3 00
M. pinnata (fascicularis). 18 to 24 in., B&B.	$2 \ 50$
2 to 3 ft., B&B	3 00
Malus atrosanguinea. Deep carmine.	
3 to 4 ft	-2 00
5 to 6 ft	3 50
M. bechteli. Pink, rose-like blooms. 2 to 3 ft.	1 50
3 to 4 ft	2 00
1 to 5 ft	-2.50

				_
Malus eleyi. Red. Very choice. 2 to 3 ft	Each \$1.50	Platanus occidentalis. 7 to 8 ft	Each \$2 0	
3 to 4 ft	$\begin{bmatrix} 1 & 00 \\ 2 & 00 \end{bmatrix}$	8 to 10 ft	$\tilde{2}$ 5	
4 to 5 ft	$2\ 50$	Polygonum auberti. 2-yr		50
5 to 6 ft	3 50	Populus nigra italica. 2 to 3 ft	2	25
M. floribunda. Bright pink flowers shading	1/50	4 to 6 ft		50
to white. 2 to 3 ft	$\begin{array}{ccc} 1 & 30 \\ 2 & 00 \end{array}$	6 to 8 ft		75
4 to 5 ft	$\frac{2}{2} \frac{50}{50}$	8 to 10 ft	1 0	
M. niedzwetzkyana. Flowers deep pink.		Potentilla fruticosa. 2 to 3 ft	7	75
3 to 4 ft	$\frac{2}{2} \frac{00}{50}$	Prunus, Amanogawa. Flowering Cherry.		
4 to 5 ft		Semi-double, pale pink flowers.	2 0	ንበ
5 to 6 ft 6 to 7 ft	$\begin{array}{cc} 3 & 50 \\ 4 & 00 \end{array}$	3 to 4 ft 4 to 5 ft	$\begin{array}{c} z & 0 \\ 3 & 0 \end{array}$	
M. prunifolia rinki. Flowers pink. 6 to 7 ft.	4 00	P., Beni Higan. Flowering Cherry. Pale	5 (<i>3</i> 0
M. purpurea. Flowers deep carmine. 6 to 7 ft.		pink flowers. 4 to 5 ft	25	50
M. scheideckeri. Double reddish pink flowers.		5 to 6 ft	$4 \mathrm{C}$)0
3 to 4 ft.	$\frac{2}{2} \frac{00}{50}$	P. cerasifera pissardi. Purple-leaf Plum.	1 .	5 0
M. sieboldi. Blush-pink flowers. 5 to 6 ft Nandina domestica. 12 to 18 in., B&B	$\begin{array}{cc} 3 & 50 \\ 75 \end{array}$	Pink flowers. 3 to 4 ft	$egin{array}{ccc} 1 & 5 \ 2 & 0 \end{array}$	
18 to 24 in., B&B		6 to 7 ft	$\frac{2}{3}$	
2 to 3 ft., B&B	1 50	P. glandulosa rosea. Pink-flowering Almond.		
3 to 4 ft., B&B		18 to 24 in		50
4 to 5 ft., B&B		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7	75
Neviusia alabamensis. 18 to 24 in., B&B Nyssa sylvatica. 4 to 5 ft., B&B		P., Kanzan. Flowering Cherry. Deep pink, very double flowers. 4 to 5 ft	2 5	50
Ophiopogon. 2-yr		5 to 6 ft	$\frac{2}{3}$ $\frac{2}{5}$	
Osmanthus aquifolium. 18 to 24 in., B&B		6 to 7 ft	5 (
2 to 3 ft., B&B		P., Mount Fuji. Flowering Cherry. Double		
3 to 4 ft., B&B		white flowers. 3 to 4 ft	$\begin{array}{c} 2 \ 5 \ 3 \ 5 \end{array}$	
Ostrya virginiana. S to 10 ft		P., Naden. Flowering Cherry. Pale pink,	<i>5</i> (90
5 to 6 ft., B&B	$\frac{1}{3} \frac{50}{50}$	semi-double flowers. 2 to 3 ft	1 5	50
Pachysandra terminalis. 2-yr	25	3 to 4 ft		
Paliurus spina-christi. 3 to 4 ft., B&B		4 to 5 ft	3 5	
Paulownia imperialis. 8 to 10 ft		P., Othello. Purple-leaf Plum. 2 to 3 ft	1 (
Philadelphus coronarius. 3 to 4 ft		3 to 4 ft		50 იი
P. coronarius aureus. 2 to 3 ft	$\frac{35}{75}$	P. persica alba. White-flowering Peach.	2	
P. cymosus, Coquette. 4 to 5 ft	75	2 to 3 ft		75
6 to 7 ft		3 to 4 ft		
P. cymosus, Norma. 2 to 3 ft	$\begin{array}{c} 75 \\ 50 \end{array}$	5 to 6 ft	2 $\stackrel{\cdot}{\cdot}$	5U
P. virginalis. 2 to 3 ft		P. persica rosea. Pink-flowering Peach. 2 to 3 ft		75
3 to 4 ft	75	3 to 4 ft		
4 to 5 ft		P. persica rubra. Red-flowering Peach.		
Photinia glabra. 18 to 24 in., B&B		2 to 3 ft		75
Picea conica glauca. 2 to 3 ft., B&B		3 to 4 ft		00
P. excelsa. 2 to 3 ft., B&B		P., Shirofugen. Flowering Cherry. Flowers pink in bud changing to white as they		
3 to 4 ft., B&B	$2\ 00$	expand. 3 to 4 ft		50
4 to 5 ft., B&B	$\frac{2}{50}$	4 to 5 ft	3 8	50
5 to 6 ft., B&B	$\begin{array}{cc} 5 & 00 \\ 2 & 00 \end{array}$	P. subhirtella pendula. Double-flowering		
3 to 4 ft., B&B	$\frac{2}{3} \frac{00}{00}$	Weeping Cherry. Pink flowers. Top	9 1	50
4 to 5 ft., B&B	4 00	budded. 5 to 6 ft	$\begin{array}{c} 2 \ 5 \ 3 \end{array}$	
P. pungens kosteriana. 12 to 18 in., B&B	$\frac{2}{3}$ 50	P. subhirtella pendula. Weeping Flowering		00
18 to 24 in., B&B	$\begin{array}{ccc} 3 & 00 \\ 5 & 00 \end{array}$	Cherry. Pink flowers. Budded at		
		ground. 5 to 6 ft\$7.50 to	15 (00
Pieris floribunda. 18 to 24 in., B&B P. japonica. 12 to 15 in., B&B	$\begin{array}{ccc} 2 & 50 \\ 2 & 00 \end{array}$	P., Takasago. Flowering Cherry.	4	~ 0
15 to 18 in., B&B	$\frac{2}{2} \frac{50}{50}$	2 to 3 ft		
18 to 24 in., B&B	$3\ 00$	4 to 5 ft	$\frac{2}{3}$ (
2 to 2½ ft., B&B		P. triloba. Double-flowering Plum. White		
Pinus nigra. 18 to 24 in., B&B	$\frac{1}{1} \frac{00}{50}$	flowers. 5 to 6 ft	2 $\stackrel{\cdot}{\cdot}$	50
2 to 3 ft., B&B	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	P., Yoshino. Flowering Cherry. Pale pink		
2 to 3 ft., B&B		flowers, centers being stained with purplish pink before they fall.		
P. strobus. 2 to 3 ft., B&B	1 50	4 to 5 ft	$2 \ \xi$	50
3 to 4 ft., B&B	$\frac{2}{2} \frac{00}{00}$	5 to 6 ft		
4 to 5 ft., B&B	$\frac{3}{1} \frac{00}{50}$	Pterocarya rhoifolia. 4 to 5 ft		00
P., Tanyosho. B&B.	1 50	5 to 6 ft	1 3	50
Specimens priced on application.		Pueraria thunbergiana. 2-yr	ł	$50\degree$
P. thunbergi. 2 to 3 ft., B&B	1 50	Punica granatum. 2 to 3 ft	1 (00
				de

			Each
Pyracantha coccinea boundsi.	Each	Salix babylonica. 4 to 5 ft	\$0.50
18 to 24 in., B&B		5 to 6 ft	75
2 to 3 ft., B&B		6 to 7 ft	$\frac{1}{1} \frac{00}{50}$
P. coccinea lalandi. 18 to 24 in., B&B 2 to 3 ft., B&B	$\begin{array}{c c} 1 & 00 \\ 1 & 50 \end{array}$	7 to 8 ft 8 to 10 ft	$\begin{array}{cc} 1 & 50 \\ 2 & 00 \end{array}$
Quercus alba. 5 to 6 ft	$\begin{bmatrix} 1 & 50 \\ 2 & 00 \end{bmatrix}$	10 to 12 ft	$\frac{2}{2} \frac{50}{50}$
Q. darlingtonia. 4 to 5 ft., B&B	$\begin{bmatrix} 2 & 60 \\ 2 & 50 \end{bmatrix}$	S. caprea. 2 to 3 ft	75
5 to 6 ft., B&B	$\begin{bmatrix} 2 & 50 \\ 3 & 50 \end{bmatrix}$	S. vitellina pendula. 6 to 8 ft	$\frac{1}{2}$ 50
6 to 8 ft., B&B	5 00	8 to 10 ft	2 00
Q. palustris. 5 to 6 ft	1 50	Sambucus nigra aurea. 3 to 4 ft	75
7 to 8 ft	$\frac{2}{3} \frac{50}{00}$	Sciadopitys verticillata.	
8 to 10 ft	$\begin{bmatrix} 3 & 00 \\ 3 & 50 \end{bmatrix}$	12 to 15 in., B&B	$2\ 50$
Q. rubra. 2 to 3 ft	$\begin{bmatrix} 3 & 60 \\ 1 & 00 \end{bmatrix}$	Larger specimens priced on application.	
3 to 4 ft	1 50	Smilax laurifolia. 3-in. pots	1 00
4 to 5 ft	$\frac{2}{2} \frac{00}{50}$	Sophora japonica. 18 to 24 in	75
6 to 8 ft	$\frac{3}{1} \frac{50}{50}$	Spiraea aitchisoni. 2 to 3 ft	75
Rhamnus caroliniana. 5 to 6 ft	1 50	S. billiardi. Pink or white. 3 to 4 ft	50
R. cathartica. 5 to 6 ft	$\begin{array}{c c} 1 & 00 \\ 1 & 50 \end{array}$	S. bumalda, Anthony Waterer. 18 to 24 in	50
Rhododendron carolinianum.	1 50	2 to 3 ft	$\frac{75}{75}$
18 to 24 in., B&B	2 00	S. callosa alba. 18 to 24 in	$\frac{75}{50}$
2 to 3 ft., B&B	$\frac{1}{3} \frac{1}{00}$	S. prunifolia. 2 to 3 ft	50
R. catawbiense. 18 to 24 in., B&B		3 to 4 ft	75
2 to 3 ft., B&B	$\frac{3}{2} \frac{00}{00}$	4 to 5 ft	$1 \ 00$
R. maximum. 18 to 24 in., B&B	$\begin{bmatrix} 2 & 00 \\ 3 & 00 \end{bmatrix}$	S. reevesiana. 2 to 3 ft	75 50
Rhodotypos kerrioides. 2 to 3 ft	50	S. thunbergi. 18 to 24 in	$\begin{array}{c} 50 \\ 75 \end{array}$
3 to 4 ft	$\begin{array}{c c} 30 \\ 75 \end{array}$	S. trichocarpa. 3 to 4 ft	75
4 to 5 ft	1 00	S. vanhouttei. 2 to 3 ft	50
Rhus canadensis. 2 to 3 ft	50	3 to 4 ft	75
3 to 4 ft	75	Stachyurus praecox. 4 to 5 ft	250
4 to 5 ft		Stephanandra flexuosa. 2 to 3 ft	75
3 to 4 ft	$1 \stackrel{?}{00}$	Sterculia platanifolia. 2 to 3 ft	1 00
4 to 5 ft	1 50	3 to 4 ft	$\frac{1}{1} \frac{50}{50}$
5 to 6 ft		4 to 5 ft	2 00
6 to 7 ft	$\begin{bmatrix} 2 & 00 \\ 2 & 00 \end{bmatrix}$	5 to 6 ft	$\frac{2}{2} \frac{50}{50}$
Robinia hispida. 2 to 3 ft		8 to 10 ft	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$
3 to 4 ft			250
Rosa blanda. 2 to 3 ft. Strong	75	Stewartia pentagyna. 2 to $2\frac{1}{2}$ ft	
R., Climbing. 2-yr		Styrax japonica. 2 to 3 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$
American Pillar. Deep rose.		3 to 4 ft	$\frac{1}{2} \frac{30}{00}$
Aviateur Bleriot. Buds light orange-yellow; flowers creamy yellow, fading to white.		8 to 10 ft	3 50
Bess Lovett. Light crimson.		Symphoricarpos albus. 2 to 3 ft	50
Dorothy Perkins. Light pink.		S. chenaulti. 2 to 3 ft	50
Dr. W. Van Fleet. Flesh-pink. Emily Gray. Yellow.		S. vulgaris. 2 to 3 ft	50
Gardenia. Buds yellow, fading to white.		Syringa, French Hybrids.	
Heart of Gold. Purplish crimson flowers,		Alphonse Lavallee. Bluish lilac; double.	1 00
yellow stamens.		2 to 3 ft Best Blue. Blue. 2 to 3 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$
Jacotte. Warm hues of yellow and coppery red.		Charles the Tenth. Single; reddish violet.	1 00
Mary Wallace. Warm pink flowers.		2 to 3 ft	1 00
Mermaid. Single, light primrose blooms.		Dr. Masters. Double; light pink.	1 00
Mme. Gregoire Staechelin. Large pink flowers.		18 to 24 in	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$
Paul's Scarlet Climber. Scarlet.		Hugo Koster. Single; lilac. 2 to 3 ft	1 00
Primrose. Yellow.		3 to 4 ft	1 50
Scorcher. Brilliant red.		Ludwig Spaeth. Dull purple. 2 to 3 ft Michel Buchner. Double; pinkish. 2 to 3 ft.	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$
Silver Moon. Creamy white. Tausendschon. Variable color, from white		Mme. Casimir Perier. Double; white.	1 00
through pink to rose.		2 to 3 ft	1 00
R. hugonis. 2 to 3 ft	75	3 to 4 ft	1 50
3 to 4 ft	$\begin{array}{cc} 1 & 00 \\ 75 \end{array}$	President Grevy. Double; blue-violet. 2 to 3 ft	1 00
R. nitida. 2 to 3 ft		Rene Jarry-Desloges. Double; blue.	1 00
R. rouletti. Rock-Garden Rose. 2-yr	50	2 to 3 ft	1 00
R. rugosa. Red, pink, and white. 2 to 3 ft	50	Stadig de Rothpletz. Reddish. 2 to 3 ft 3 to 4 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$
R. setigera. 2 to 3 ft	75	3 ₩ ±16	T 90



Thu a occidentalis pyra : idalis (Fyramidal Arborvitae)

	Eac	ch
Syringa persica. Purple. 3 to 4 ft		00
S. rothomagensis. Lilac. 3 to 4 ft	1	00
S. rothomagensis, Sulte. Pinkish lilac.		
2 to 3 ft		75
S. villosa. Lilac. 3 to 4 ft	1	00
S. vulgaris. Lavender. 2 to 3 ft		50
3 to 4 ft		75
Tamarix africana. 2 to 3 ft		50
4 to 5 ft		75
T. gallica. 2 to 3 ft		50
Thea sinensis bohea. 18 to 24 in., B&B	1	50
2 to 3 ft., B&B	$\overline{2}$	50
3 to 4 ft., B&B	3	50
4 to 5 ft., B&B	5	00
Thuja occidentalis conica densa.		
3 to 4 ft., B&B	2	50
4 to 5 ft., B&B		00
T. occidentalis globosa. 12 to 18 in., B&B	$\tilde{1}$	
18 to 24 in., B&B		50
T. occidentalis hoveyi. 3 to 4 ft., B&B		00
4 to 5 ft., B&B		50
T. occidentalis plicata pyramidalis.		50
4 to 5 ft., B&B	2	50
T. occidentalis pumila. 4 to 5 ft., B&B		50
		00
5 to 6 ft., B&B	î	00
3 to 4 ft., B&B	î	50
4 to 5 ft., B&B		50
5 to 6 ft., B&B		00
8 to 10 ft., B&B		00
Larger specimens priced on application.		00
T. occidentalis wareana. 2 to 3 ft., B&B	2	00
3 to 4 ft., B&B		50
4 to 5 ft., B&B		00
5 to 6 ft., B&B		00
T. orientalis. 4 to 5 ft., B&B	_	00
5 to 6 ft., B&B		00
6 to 8 ft., B&B	$\overset{\circ}{4}$	00
T. orientalis aurea nana. 12 to 18 in., B&B	1	00
18 to 24 in., B&B	1	50
2 to 3 ft B&B.		50

Thuja orientalis aurea conspicua.	Each
2 to 3 ft., B&B	
T. orientalis bakeri. 2 to 3 ft., B&B	
3 to 4 ft., B&B	2 00
4 to 5 ft., B&B	
6 to 7 ft., B&B	
T. orientalis excelsa. 18 to 24 in., B&B	1 50
Tilia americana. 3 to 4 ft	
6 to 8 ft	
8 to 10 ft	
Tsuga canadensis. 2 to 3 ft., B&B	
3 to 4 ft., B&B	
4 to 5 ft., B&B	
5 to 6 ft., B&B	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$
6 to 8 ft., B&B	5 00
T. canadensis, sheared specimens.	
3 to 4 ft., B&B	
4 to 5 ft., B&B	$\begin{array}{cc} 3 & 00 \\ 4 & 00 \end{array}$
5 to 6 ft., B&B	$\frac{4}{6} \frac{00}{00}$
T. caroliniana. 4 to 5 ft., B&B	3 50
6 to 8 ft., B&B	
Ulmus pumila. 5 to 6 ft	
6 to 8 ft 8 to 10 ft	
Larger specimens priced on application.	
Viburnum burkwoodi. 18 to 24 in., B&B	3 50
V. carlesi. 18 to 24 in., B&B	
2 to 3 ft., B&B	$\begin{array}{c} 3 & 50 \\ 75 \end{array}$
3 to 4 ft	
V. dentatum. 3 to 4 ft	75
V. opulus. 2 to 3 ft	50
3 to 4 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$
V. opulus sterile. 2 to 3 ft	
3 to 4 ft	75
V. prunifolium. 18 to 24 in	50
V. rhytidophyllum. 2 to 3 ft., B&B	$\begin{array}{cc} 2 & 00 \\ 2 & 50 \end{array}$
4 to 5 ft., B&B	$\frac{2}{3} \frac{50}{50}$
V. tomentosum plicatum. 18 to 24 in	50
2 to 3 ft	75
3 to 4 ft	$\begin{array}{cc} 1 & 00 \\ 5 & 00 \end{array}$
5 to 6 ft	1 00
Vinca major. 2-yr	$\frac{1}{25}$
V. minor. 2-yr	$\frac{25}{50}$
Vitex agnus-castus. 2 to 3 ft	$\begin{array}{c} 50 \\ 75 \end{array}$
4 to 5 ft	1 00
V. macrophylla. 3 to 4 ft	75
4 to 5 ft	1 00
Water-Lilies	1 00
Weigela, Eva Rathke. 2 to 3 ft	$\begin{array}{c} 50 \\ 75 \end{array}$
W. hendersoni. 2 to 3 ft	
W. , Heroine. 3 to 4 ft	75
W. rosea. 2 to 3 ft	$\frac{50}{75}$
3 to 4 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$
Wisteria, American. 18 to 24 in	75
2 to 3 ft	1 00
W., Sierra Madre. 4 to 5 ft	$\frac{1}{1} \frac{50}{50}$
W. sinensis. Grafted blooming plants W. sinensis alba. Grafted blooming plants	$\begin{array}{cc} 1 & 50 \\ 1 & 50 \end{array}$
Yucca filamentosa. 2-yr	$\frac{1}{25}$
4-yr	50
Zanthoxylum schinifolium. 2 to 3 ft	$\frac{1}{2} \frac{00}{50}$
Zelkova serrata. 8 to 10 ft	3 50



Perennial Plants for Permanent Gardens

The star (*) preceding a variety name indicates that the plants are adapted to rock-garden use.

Our perennials are priced at 25 cts. each, \$2.50 per dozen (when a dozen of one variety is taken) except where noted

Perennials selected at the nursery and taken with a ball of dirt are priced according to the clump and individually. Under no conditions whatsoever do we guarantee perennials to grow.

Achillea millefolium roseum.

*A. ptarmica, The Pearl.

*A. tomentosa.

*Ajuga reptans.

*Alyssum rostratum.

*A. saxatile compactum.

Amsonia tabernaemontana.

Anchusa italica, Dropmore.

Anthemis tinctoria.

Aquilegia canadensis.

A., Long-spurred Hybrids.

A., Old-fashioned, Mixed.

*Arabis alpina.

*Arenaria verna.

Artemisia vulgaris lactiflora.

A. vulgaris, Silver King.

Arundo donax.

*Asarum canadense.

Asclepias tuberosa.

*Aster alpinus.

A., Birdsong.

*A., Countess of Dudley (dwarf).

A., Daphne.

Astilbe, Ceres, 50 cts. each.

*Aubrietia deltoidea evrei.

Baptisia australis.

Belamcanda chinensis.

Boltonia latisquama.

*Calamintha alpina.

*Callirhoe involucrata.

Campanula latifolia.

C. pyramidalis.

*C. rotundifolia.

Centaurea dealbata.

Centranthus ruber.

Cephalaria tatarica.

*Cerastium tomentosum. Ceratostigma plumbaginoides.

*Cheiranthus allioni.

Garden Chrysanthemums

Apollo.

Ceres.

Daphne.

Diana.

Mrs. H. Harrison.

Mars.

Mercury.

Murillo.

Pink Cushion.

Button. Unnamed varieties.

Double.

*Convallaria majalis.

Delphinium, Wrexham Hybrids.

*Dianthus caesius.

***D.** deltoides.

***D.** plumarius.





Digitalis, Giant Shirley.

*Epimedium macranthum viola-

Eupatorium coelestinum.

*Euphorbia myrsinites.

*Festuca glauca.

*Filipendula hexapetala.

Gaillardia aristata.

G., Sun God, 50 cts. each.

Grasses, Hardy Ornamental.

Gypsophila, Bristol Fairy, 50 cts. each.

G. paniculata compacta.

Helenium autumnale superbum.

Heliopsis helianthoides pitcheriana.

Hemerocallis · Day Lily

Select plants, 50 cts. each

Bay State.

Gypsy.

J. A. Crawford.

Lemona.

Mrs. W. H. Wyman.

The Gem.

*Hepatica triloba.

*Heuchera rosmundi.

*H. sanguinea.

Hibiscus moscheutos, 25 cts. and 50 cts. each.

Hollyhock, Mixed.

H., Newport Pink.

Hosta lanceolata.

H. lanceolata variegata.

H. minor alba.

H. subcordata, 50 cts. each.

*Hypericum reptans, 50 cts. each.

*Iberis sempervirens.

***Inula** ensifolia.



German Iris make a wonderful show of color in May and June

Iris germanica German Iris

Ambassadeur. Andrew Jackson.

Asia. Beacon.

Black Wings.

Blue Banner.

Bounty.

Cardinal.

Chromylla.

Corrida.

Dauntless.

Desert Gold.

Dolly Madison.

Frieda Mohr.

Gay Hussar.

Gold Imperial.

Hermitage.

Kashmir White.

La Neige.

Labor.

Lord of June.

Mildred Presby.

Moonlight.

Morning Glory.

Morning Splendor.

Queen of May.

Red Cloud.

Rob Roy.

Sea Dawn.

Selene.

Shekinah.

Tokay.

True Delight.

Violet Crown.

Iris kaempferi.

I. orientalis.

*I. pumila.

*I. pumila, Blue Beard.

I. sibirica.

*I. verna.

Lathyrus latifolius. Lavandula spica.

Liatris scariosa.

Lilium elegans.

L. tigrinum.
L., Wild.

*Linum flavum.

*L. perenne.

*L. perenne album.

*Lotus corniculatus.

*Lychnis alpina.

L. coronaria.

*L. haageana.

L. viscaria splendens.

Lycoris squamigera, 50 cts. each.

*Lysimachia nummularia.

Lythrum salicaria roseum superbum.

*Matricaria parthenoides.

*Mazus reptans.

Mertensia virginica.

Monarda didyma, Cambridge Scarlet.

*Myosotis palustris.

*Nepeta mussini.

N., Souvenir de Andre Chaudron.

*Nierembergia gracilis.

*Ophiopogon jaburan, 25 cts. and 50 cts. each.

*O., Broad Leaf.

Paeonia, 50 ets. each.

Papaver orientale.

Pentstemon barbatus coccineus.

P. grandiflorus.

*Phlox amoena.

P. decussata, Count Zeppelin.

P. decussata, E. I. Farrington.

P. decussata, Michel Buchner.

*P. divaricata laphami.

*P. subulata.

*P. subulata alba.

*P. subulāta, Apple Blossom.

*P. subulata, Asheville Blue.

*P. subulata atropurpurea.

*P. subulata vivida.

*P. sylvestris.

Physostegia virginiana vivida. Platycodon grandiflorum mariesi.

P. grandiflorum mariesi album.

*Primula polyantha.

*Prunella grandiflora.

*P. grandiflora rosea.

Pyrethrum Hybrids.

*Ranunculus repens.

Rosmarinus officinalis. Rudbeckia laciniata, Golden

Glow.

R. maxima.

R. newmani.

R. purpurea.

Salvia azurea. S. greggi.

*Sanguinaria canadensis.

*Santolina chamaecyparissus.

*Saponaria ocymoides splendens.
*Saxifraga cordifolia megasi Hy-

brids. ***Sedum** acre.

*S. album.

*S. dasyphyllum.

*S. kamtschaticum.

*S. obtusatum.

*S. sarmentosum.

*S. sexangulare.

*S. sieboldi.

*S. spectabilis.
*S. spectabilis, Brilliant.

*S. stolonifera.

*Sempervivum, Assorted.

*Silene wherryi.

*Stachys lanata.

*Statice latifolia.

Stokesia laevis.

Thalictrum aquilegifolium.

Thermopsis caroliniana.

*Thymus serpyllum album.

*T. serpyllum coccineus.
*T. serpyllum lanuginosus.

*T. serpyllum vulgaris.

Tiarella cordifolia.

Tradescantia virginiana.

Tritoma.

*Verbena.

*Tunica saxifraga.

*Veronica incana.
V. longifolia subsessilis.

*V. repens.

V. spicata.

V. spuria elegans.

*V. teucrium, Royal Blue.

*V. teucrium rupestris.

*Viola odorata.